WHAT IS CLAIMED IS:

- An image processing method, which creates a table for separating color into color of coloring agent available in an image formation apparatus,
- 5 characterized in that:

a maximum line in a color reproduction region of the image formation apparatus is defined;

internal lines in the color reproduction region of the image formation apparatus are defined; and

of the maximum line and the internal lines, thereby creating the table.

2. An image processing method, which creates a table for separating color into color of coloring agent available in an image formation apparatus, characterized in that:

a first line from black to white is defined;

plural second lines from white to primary color
and secondary color are defined,

plural third lines from the primary color and the secondary color to black are defined; and

the table is created according to the first line, the second lines and the third lines.

25

15

20

3. A method according to Claim 2, wherein it is possible to control ink dyeing points on the first line

5

10

and the third lines.

- 4. A method according to Claim 3, wherein the control of the ink dyeing points is performed on the basis of a manual instruction by a user.
- 5. A method according to Claim 2, wherein a start of dyeing dark coloring agent on the first line, the second lines and the third lines is controlled in an image processing method which creates a table of an image formation apparatus for performing an image formation using plural coloring agents having different density for the same color.
- 6. A method according to Claim 2, wherein a coloring agent quantity contour line is calculated on the basis of the coloring agent quantity on each side of a plane defined by the plural coloring agents.
- 7. A method according to Claim 6, wherein nonlinear curve approximation processing is used in case of forming the coloring agent quantity contour line.
- 8. A method according to Claim 2, wherein a cube indicating a color space is divided into plural tetrahedrons, and interpolation processing is executed by connecting points having the same coloring agent

5

10

20

25

quantity on three sides of each triangle indicating side planes of the divided tetrahedrons.

9. An image processing apparatus, which creates a table for separating color into color of coloring agent available in an image formation apparatus, comprising:

means for defining a first line which is from white to black;

means for defining plural second lines which are from white to primary color and secondary color;

means for defining plural third lines which are from the primary color and the secondary color to black; and

means for creating the table according to the first line, the second lines and the third lines.

10. A program for realizing an image processing method which creates a table for separating color into color of coloring agent available in an image formation apparatus characterized in that

a first line from black to white is defined;

plural second lines from white to primary color
and secondary color are defined;

plural third lines from the primary color and the secondary color to black are defined; and

the table is created according to the first line, the second lines and the third lines.